

Compliance code definitions for Basic Code

A	Compliant	
B	Signal	button height not within 38-46 inches
C	DetectableWarning	no detectable warning
d	DimensionsMinor	under 48 inches but over 36 inches
D	DimensionsMajor	under 36 inches
e	SlopeMinor	over critical value
E	SlopeMajor	over 150% of critical value
f	CracksMinor	1/2 inch wide and under
F	CracksMajor	over 1/2 inch wide
g	LevelChangeMinor	1 inch and under
G	LevelChangeMajor	over 1 inch
H	Obstructions	obstruction(s) present

Compliance code definitions for Detail Code

d01	RampWidthMinor	D01	RampWidthMajor
d02	RampDepthMinor	D02	RampDepthMajor
e01	RampFrontMinor	E01	RampFrontMajor
e02	RampSideMinor	E02	RampSideMajor
e03	UpperLandingFrontMinor	E03	UpperLandingFrontMajor
e04	UpperLandingSideMinor	E04	UpperLandingSideMajor
e05	StreetLandingFrontMinor	E05	StreetLandingFrontMajor
e06	StreetLandingSideMinor	E06	StreetLandingSideMajor
e07	FlareLeftFrontMinor	E07	FlareLeftFrontMajor
e08	FlareRightFrontMinor	E08	FlareRightFrontMajor
e09	SwkLeftFrontMinor	E09	SwkLeftFrontMajor
e10	SwkLeftSideMinor	E10	SwkLeftSideMajor
e11	SwkRightFrontMinor	E11	SwkRightFrontMajor
e12	SwkRightSideMinor	E12	SwkRightSideMajor
f01	RampCrackMinor	F01	RampCrackMajor
f02	UpperLandingCrackMinor	F02	UpperLandingCrackMajor
f03	StreetLandingCrackMinor	F03	StreetLandingCrackMajor
f04	SwkLeftCrackMinor	F04	SwkLeftCrackMajor
f05	SwkRightCrackMinor	F05	SwkRightCrackMajor
g01	STOCMinor	G01	STOCMajor
g02	LipMinor	G02	LipMajor
H01	RampObstruction	H02	UpperLandingObstruction
H03	StreetLandingObstruction		